

भारत सरकार / Government of India
केन्द्रीय अनुसंधान संस्थान / Central Research Institute
कसौली, जिला सोलन-173204 (हि0प्र0) / Kasauli, Distt. Solan(HP)-173204
दूरभाष संख्या / Telephone No.01792-272995, 273207

पंजीकृत

दर-पूछताछ संख्या / Rate Enquiry No.: **Q-59/I-16/App/17-18/St.**

दिनांक / Dated

दिनांक **11.07.2017** को 2:30 बजे खोली जायेगी।

सेवा में / To

महोदय,

निम्नलिखित वस्तुओं/सामान की खरीद हेतु निदेशक, केन्द्रीय अनुसंधान संस्थान, कसौली द्वारा मुहरबन्द दरें आमन्त्रित की जाती है। कोटेशन दाताओं को यह सुझाव दिया जाता है कि वे दरें प्रस्तुत करने से पहले इस पत्र में छपी शर्तों को ध्यान पूर्वक पढ़ लें। चूंकि यदि वे किसी शर्त (शर्तों) का उल्लंघन करेंगे या उनकी दरें नियत तारीख के पश्चात प्राप्त होंगी तो उन्हें स्वीकार नहीं किया जायेगा। Sealed quotations are invited by the Director, Central Research Institute, Kasauli for the following items. The tenders are advised to read the terms and conditions carefully before quoting, as the quotations are liable to be rejected if they contravene any of the condition(s) or are received after the due date.

क्र०सं०/ Sr.No.	वस्तु का नाम / Name of the Items(s)
1	G₂, G₄, F₆ and F₉ Filters <ul style="list-style-type: none">• Specifications and Quantities of the Filters are attached with Annexure-1a & 1b.• Drawings are attached with Annexure- 2a & 2b.
Note 1: Quoted prices should be inclusive of all taxes OR rates of taxes & duties etc. should be mentioned clearly. Note 2: In case of quotation value more than Rs.75,000/-, the quotation should be accompanied with EMD @ 2% of quoted value in the shape of FDR (Fixed Deposit Remittance) only in favour of Director, Central Research Institute, Kasauli failing which quotation will be rejected. Appropriate certificate need to be attached in case of EMD waiver".	

भवदीय / yours faithfully,

Enclosure: As Above

Officer-in-Charge Stores
कृते निदेशक / for Director |

दर-पूछताछ की शर्तें / Conditions of Rate Enquiry

- दरों के लिफाफे की बाईं ओर निम्नलिखित विवरण स्पष्ट रूप से लिखा होना चाहिए। On the left hand side of the envelope containing quotation the following should be clearly mentioned:
दर-पूछताछ संख्या / Rate Enquiry No. **Q-59/I-16/App/17-18/St** दिनांक / Dated (दिनांक **11.07.2017** को दर खोली जाएगी / Due to be opened on **11.07.2017**)
जो दरें मुहरबन्द लिफाफे की बजाए खुले लिफाफे में प्राप्त होंगी और जिनके लिफाफे पर उपर्युक्त शीर्षक नहीं लिखा होगा, उन्हें अस्वीकार किया जा सकता है। **Quotations which are received open and not in sealed cover or do not contain the above mentioned caption are liable to rejection.**
- निवेदित दरें प्रति युनिट निवल और माल भाडा सहित पहुँच के 0अ0स0, कसौली ही होनी चाहिए और उनमें पैकेजिंग और उन्हें भेजने के सभी प्रभार सम्मिलित होने चाहिए। पहले से निवेदित दरों में वृद्धि के किसी प्रतिवेदन पर किसी भी हालत में विचार नहीं किया जाएगा। The prices quoted **must be delivered at C.R.I., Kasauli** net per unit and must include all charges for packing and forwarding. No representation for increase in rates already quoted will be considered under any circumstances.
- यदि अलग से केन्द्रीय बिक्री-कर/बैट आदि लिया जाना हो, तो तदनुसार उसका उल्लेख किया जाए। विशेष रूप से इसका उल्लेख न किए जाने पर यह मान लिया जाएगा कि बिक्री-कर/बैट आदि निवेदित दर में शामिल है और इसके लिए अलग से किये जाने वाले दावे पर कोई विचार नहीं किया जाएगा। Central Sales Tax/VAT etc. if chargeable extra must be mentioned accordingly. In the absence of a specific mention, it will be presumed that the these taxes are included in the price quoted and no separate claim for it will be entertained.
- आपकी दर को पक्का प्रस्ताव माना जाएगा और आपकी निवेदित दर निवेदन की तारीख से **तीन महीने तक वैध रहनी चाहिये**। इस अवधि के दौरान इसमें कोई परिशोधन, संशोधन करने या इसे वापिस लेने की अनुमति नहीं दी जाएगी। Your quotation will be treated as firm offer and **must remain open for three months** from the date of your quotation. No revision, amendment or withdrawal will be permissible during this period.
- अंकों या शब्दों में कोई कांट-छाट न की जाए। गलत अंकों या शब्दों को काट दिया जाए और उन्हें अपने हाथ से दुबारा लिखकर उन पर हस्ताक्षर कर दिये जाएं। No figures or words should be overwritten. Incorrect figures or words should be struck off and rewritten under your signatures.
- आप जिन वस्तुओं की दरें भेज रहे हैं, उनकी पूर्ति आप किस तारीख तक कर सकते हैं, इसका उल्लेख दर में अवश्य किया जाए। The dates by which you can supply the articles for which you quote, should invariable be indicated against the item.
- सामान उच्च कोटि का होना चाहिए और हमारी विशिष्टियों के अनुसार ही होना चाहिए। सामान इस शर्त पर लिया जाएगा कि उस की जांच हमारे परिसर में की जाएगी और बाद में उसका अनुमोदन किया जाएगा। Supplies must be of first class quality and in accordance with our specifications only. Supplies are subject to inspection and approval at our premises.
- आपकी दरों के संदर्भ में नमूने मांगे जाने पर उन्हें निर्धारित तारीख तक अवश्य प्रस्तुत किया जाए। ऐसा न करने पर आपकी दरों पर ध्यान नहीं दिया जाएगा। इस सम्बन्ध में तीसरी बार गलती करने पर इस संस्थान के पूर्तिकर्ताओं की अनुमोदित सूची से आपके प्रतिष्ठान का नाम काटा जा सकता है। Samples against your quotations when called for should be furnished promptly by the stipulated date. Failure to do so will entail your quotations being ignored. Repetition of such lapse for **third time** in this respect may result in the removal of the name of your concern from the approved list of suppliers to this Institute.

- 9 जिन वस्तुओं पर उत्पाद-शुल्क लगता हो, उनके सम्बन्ध में अपनी निवेदित दर में शुल्क की दर का उल्लेख स्पष्ट रूप से अलग मद के रूप में करें। **निवेदित दरें अधिकतम अंकित मूल्य से अधिक नहीं होना चाहिए।** In case of excisable articles, the rate of duty should be quoted distinctly as a separate item in your quotation. **Quoted prices should not be more than Maximum Retail Price(MRP).**
- 10 यदि दरें अधिकृत विक्रेता द्वारा प्रस्तुत की जा रही हैं तो कुटेशनदाता अपनी कुटेशन के साथ अधिकृत विक्रेता होने का प्रमाण पत्र जो कि निर्माता द्वारा जारी किया गया हो (नवीनतम) आवश्यक संलग्न किया जाना चाहिये। **In case of quotation through authorized dealer/distributor, quotation should be accompanied with an authorization letter (preferably of most current date available) from manufacturer.**
- 11 औषधियों और रसायनों के सम्बन्ध में विनिर्माता का नाम, विनिर्माण की तारीख, बैच संख्या और जहां आवश्यक हो, वहां इनके उपयोग की तारीख अवश्य दी जाए। **In case of drugs and chemicals, manufacturer's name, date of manufacturer, batch number, date of expiry where applicable should invariably be quoted.**
- 12 शल्य-चिकित्सा के उपकरणों और यंत्रों पर विनिर्माता का नाम अंकित होना चाहिए। इस बात का स्पष्ट रूप से उल्लेख किया जाए कि उपकरण भारत मानक संस्थान अथवा कोई और लागू एजेंसी की विशिष्टियों के अनुरूप हैं। **Surgical instruments and appliances should be imprinted with manufacturer's name. It should be clearly indicated whether the equipment is conforming to ISI or any other applicable agency specifications.**
- 13 कृपया ध्यान रखें कि पूर्ति आदेश में दी गई सामान की सुपुर्दगी की तारीख तक सामान अवश्य पहुंचा दिया जाए। यदि किसी कारण से निर्धारित अवधि के अन्दर सामान की पूर्ति न की जा सकती हो, तो समय पर आपूर्ति न कर पाने के कारण बताते हुए सुपुर्दगी की तारीख बढ़ाने का आवेदन-पत्र काफ़ी समय पहले दे दिया जाए। सुपुर्दगी की तारीख केवल निदेशक ही बढ़ा सकता है। निदेशक बिना कोई कारण बताए किसी भी आपूर्ति आदेश को रद्द कर सकता है। जिस सामान का आदेश दिया हो, उसे यदि सुपुर्दगी की नियत तारीख तक आपूर्ति न करने की प्रायः शिकायत पायी जाएगी, तो आप का नाम पूर्तिकर्ताओं की सूची में से काटा जा सकता है। **Please note that the date of delivery indicated in the supply order must be adhered to strictly. If for any reason supply cannot be delivered within the stipulated period, application for extension of delivery date should be made well in advance stating reasons as to why the supply cannot be delivered in time. Extension may be granted only at the discretion of the Director. The Director may cancel an order at this discretion without assigning any reason. Repeated instances of failure to supply stores ordered, by the due dates of delivery will entail removal of your name from list of suppliers.**
- 14 आप चाहें तो निर्दिष्ट समय और तारीख को दर-पूछताछ के खुलने पर स्वयं उपस्थित हो सकते हैं या अपने किसी प्रतिनिधि को प्राधिकृत कर सकते हैं। **You are at liberty to be present or authorize a representative to be present at the opening of the Rate Enquiry at the specified time and date.**
- 15 कृपया यह सूचित करें कि इस दर-पूछताछ में उल्लिखित मदों के सम्बन्ध में आपने पूर्ति और निपटान के महानिदेशक से दर ठेका किया है अथवा नहीं। यदि यह ठेका किया है तो दरें प्रस्तुत करते समय हमें दर-ठेका संख्या सूचित करें और साथ ही दर ठेके की एक प्रति भिजवा दें। **Please let us know whether you have entered into Rate Contract with the Director General of Supplies & Disposals in respect of items mentioned in this Rate Enquiry. If so, the Rate Contract No. may please be intimated to us while offering rates, with a copy of the Rate Contract.**
- 16 यह केन्द्र सरकार का संस्थान है अतः नियमों के अनुसार बैंक के माध्यम से प्रलेख स्वीकार नहीं किये जाते और न ही पेशगी-अदायगी की जाती है। अतः सामान की पूर्ति बिल के आधार पर की जानी चाहिए। आपको विश्वास दिलाया जाता है कि आपकी दरें मंजूर हो जाने पर सामग्री अच्छी हालत में प्राप्त होते व उपकरणों के विषय में इसकी संतोषजनक प्रतिष्ठापन होते ही आपके बिल की तत्काल अदायगी करने की व्यवस्था की जाएगी। **This being a Central Government Institution acceptance of documents through bank or provision of advance payment is not admissible under the rules. As such the supply of the stores is required to be made on bill basis. It is assured that in the event of acceptance of your quotation, payment of your bill would be arranged immediately on receipt of stores in good condition/satisfactory installation in case of machinery & equipment.**
- 17 यदि दरों के खुलने की उपरोक्त तिथि को संस्थान में अवकाश हो तो दरों के प्राप्त करने तथा खुलने की तिथि, समय और स्थान में बिना किसी परिवर्तन के स्वमेव अगले कार्यदिवस तक बढ़ जायेगी। **A In case, the date of opening of quotations mentioned above falls on holiday in the institute, the date for receiving and opening the quotation shall automatically be extended to the next working day of the institute, time and place remaining unaltered.**
- 18 कृपया अपनी कुटेशन में टिन/बैट/सी0एस0टी/पैन नम्बर का उल्लेख करें। **Please indicate your TIN/VAT/CST /PAN No. in your quotation.**
- 19 खरीद प्रक्रिया के दौरान, इस संस्थान द्वारा कुटेशनदाता से सी0एस0टी0/बैट/टिन/पैन, नवीनतम आयकर रिटर्न तथा पंजीकरण आदि के ब्यौरे के बारे में सूचना मांगी जा सकती है। **At any time of procurement process, CRI may ask to submit details w.r.t. TIN/VAT/CST/PAN such as latest return filed, registration certificate etc.**
- 20 संस्थान द्वारा आपूर्तिकर्ता से सामान की आपूर्ति करने से पूर्व सामान का **पायलट सैम्पल** भेजने को कहा जा सकता है। **Institute may ask to submit the pilot sample prior to complete supply.**
- 21 संस्थान के निदेशक द्वारा किसी भी दर पूछताछ को खरीद प्रक्रिया के दौरान बिना कोई कारण बताये कुछ समय के लिये स्थगित अथवा पूर्णतया रद्द किया जा सकता है। **Director, CRI may suspend/postpone or cancel any rate enquiry at any stage of procurement without assigning any reason.**
- 22 Any firms, who is indulged in illegal bid rigging and cartelization in the recent past and have been penalized/ debarred / blacklisted by any Government Agencies (Central/ State/ Undertaking) will not be considered in the tender. If, at any point of time, it comes to the notice, the said firm's quotation will be cancelled and an appropriate action will be taken against the firms.
- 23 All Stores should be subject to inspection on receipt and purchaser shall have full discretion to accept or reject. Rejected supply should be removed within 15 days from date of intimation otherwise it will be disposed off in any manner deemed fit by the institution.
- 24 The price charged for stores supplied to the institution or jobs shall in no event exceed the lowest at which tenderers sells the store to any other person. If during contract period tenderer reduces the Sales Prices, he should notify the same to the Director, Central Research Institute, Kasauli.
- 25 If the firms fails to supply the items ordered within 40 days of signing of order, there will be liquidate damage equivalent to 5% of the delivered price of the delayed goods for each month or part of the month until actual delivery of performance up to a maximum of 10 % of the delayed goods. The purchaser may consider termination of contract seeing its urgency even without extending the date of delivery.
26. The conditions of the tenderer shall not be binding on this Institute.

ANNEXURE - 1a

1. SPECIFICATIONS AND DETAILS OF FILTER G2 (BOX TYPE FILTER):

Note all G2 filters should be able to withstand repeated washing and cleaning.

S. No.	Filter details	Qty required
1.	Type of filter: Box type pleated MOC of casing: Aluminium Filter Media: HDPE + Non Woven +HDPE MESH Size: 1300 x 1105 X 50 mm Classification: G2 Test code: BS EN 779	30 nos
2.	Type of filter: Box type pleated MOC of casing: Aluminium Filter Media: HDPE + Non Woven +HDPE MESH Size: 1270 x 685 X 50 mm Classification: G2 Test code: BS EN 779	6 nos

5. SPECIFICATIONS AND DETAILS OF FILTER F9 (FLANGE TYPE FILTER):

S. No.	Specifications	Quantity required.
1.	Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Sub Micronic Glass Fibre Size: Flange 610 x 610 mm Box: 550 x 550 x 300 mm Classification: F9 Test code: BS EN 779 Media Area: Not less than 1.85 m ² Please refer to drawing CRI/F9/610 for location of mounting holes.	66 nos
2.	Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Sub Micronic Glass Fibre Size: Flange: 508 x 508 mm Box: 448 x 448 x 300 mm Classification: F9 Efficiency: 75% down to 0.3 micron Test code: BS EN 779 Media Area: Not less than 8.0 m ² Please refer to drawing CRI/F9/508 for location of mounting holes.	50 nos.
3.	Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Sub Micronic Glass Fibre Size: Flange: 500 x 500 mm Box: 460 x 460 x 300 mm Classification: F9 Efficiency: 75% down to 0.3 micron Test code: BS EN 779 Media Area(m ²): Not less than 7.5 m ² Please refer to drawing CRI/F9/500 for location of mounting holes.	5 nos
4.	Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Sub Micronic Glass Fibre Size: Flange: 500 x 250 mm Box: 460 x 210 x 300 mm Classification: F9 Efficiency: 75% down to 0.3 micron Test code: BS EN 779 Media Area(m ²): Not less than 3.5 m ² Please refer to drawing CRI/F9/250 for location of mounting holes.	2 Nos.

2. SPECIFICATIONS AND DETAILS OF FILTER G4 (FLANGE TYPE FILTER):

S. No.	Filter details	Quantity required.
1.	Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Synthetic fibres Size: Flange: 610 x 610 mm Box: 550 x 550 x 50 mm Classification: G4 Efficiency: 90% down to 10 micron Test code: BS EN 779 Media Area(m ²): Not less than 1.3 m ² Please refer to drawing CRI/G4/610 for location of mounting holes.	14 nos.
2.	Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Synthetic fibres Size: Flange: 508 x 508 mm Box: 445 x 445 x 50 mm Classification: G4 Efficiency: 90% down to 10 micron Test code: BS EN 779 Media Area(m ²): Not less than 0.9 m ² Please refer to drawing CRI/G4/508 for location of mounting holes.	22 nos.

Note

- All G4 filters should be able to withstand repeated washing and cleaning.
- All the flange filters are to be provided with gaskets.
- Filter Media area in m² should be mentioned.
- Dimensional drawings should be submitted alongwith the quotation/tender
- See accompanying drawing for mounting hole(slot) dimensions and other details

- All the flange filters are to be provided with gasket.
- Filter Media area in m² should be mentioned.
- Dimension drawings should be submitted alongwith the quotation/tender
- See accompanying drawing for mounting hole(slot) dimensions and other details

3. SPECIFICATIONS AND DETAILS OF FILTER F6 (FLANGE TYPE FILTER):

S. No.	Filter details	Quantity required.
1.	Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Synthetic non woven with supporting aluminium mesh Size: Flange: 610 x 610 mm Box: 550 x 550 x 305 mm Classification: F6 Efficiency: 99% down to 3 micron Test code: BS EN 779 Media Area(m ²): Not less than 8.0 m ² Please refer to drawing CRI/F6/610 for location of mounting holes.	20 nos.
2.	Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Synthetic non woven with supporting aluminium mesh Size: Flange: 508 x 508 mm Box: 445 x 445 x 305 mm Classification: F6 Efficiency: 99% down to 3 micron Test code: BS EN 779 Media Area(m ²): Not less than 5.5 m ² Please refer to drawing CRI/F6/508 for location of mounting holes.	16 nos

Note

- All the flange filters are to be provided with gaskets
- Filter Media area in m² should be mentioned.
- Dimension drawings should be submitted alongwith the quotation/tender.
- See accompanying drawing for mounting hole(slot) dimensions and other details.

Handwritten signature
प्रभारी अधिकारी भण्डार
Officer- In- Charge, Stores
के० अ० सं०, कसौली
C. R. I., Kasauli

DTO

4. SPECIFICATIONS AND DETAILS OF FLANGE TYPE DUAL FILTER (F6 FLANGED AND G4 BOX):

ANNEXURE - 1b

S. No.	Filter details	Quantity required.
1.	<p>Type of filter: Flange Type Dual Filter MOC of casing: Aluminium Filter Media: Synthetic non woven with supporting aluminium mesh</p> <p>Size of flange filter F6: Flange: 610 x 610 mm Box: 550x550x 380 mm</p> <p>Classification: F6 Efficiency: 99% down to 3 micron Test code: BS EN 779</p> <p>Size of Box filter G4: 540 x 540 x 50 mm Classification: G4 Efficiency: 90% down to 10 micron Test code: BS EN 779</p> <p>Please refer to drawing DRAWING NO.CRI/F6/610 (COMBINED BOX G4 AND FLANGE F6) for location of mounting holes of F6 flange filter.</p>	60 NOS (set)
2.	<p>Type of filter: Flange Type Dual Filter MOC of casing: Aluminium Filter Media: Synthetic non woven with supporting aluminium mesh</p> <p>Size of flange filter F6: 508 x 508 mm 440 x 440 x 380 mm</p> <p>Classification: F6 Efficiency: 99% down to 3 micron Test code: BS EN 779</p> <p>Size of Box filter G4: 438 x 438 x 50 mm Classification: G4 Efficiency: 90% down to 10 micron Test code: BS EN 779</p> <p>Please refer to drawing DRAWING NO.CRI/F6/508 (COMBINED BOX G4 AND FLANGE F6) for location of mounting holes of F6 flange filter.</p>	50 NOS (set)

S. No.	Filter details	Quantity required.
3.	<p>Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Synthetic non woven with supporting aluminium mesh</p> <p>Size of flange filter F6: Flange: 500 x 500 mm Box: 445 x 445 x 300 mm</p> <p>Classification: F6 Efficiency: 99% down to 3 micron Test code: BS EN 779</p> <p>Size of Box filter G4: 405 x 505 x 50 mm Classification: G4 Efficiency: 90% down to 10 micron Test code: BS EN 779</p> <p>Please refer to drawing DRAWING NO.CRI/F6/500 (COMBINED BOX G4 AND FLANGE F6) for location of mounting holes of F6 flange filter.</p>	5 nos (set)
4.	<p>Type of filter: Flange type pleated MOC of casing: Aluminium Filter Media: Synthetic non woven with supporting aluminium mesh</p> <p>Size of flange filter F6: Flange 500 x 250 mm Box: 440x 192 x 300 mm</p> <p>Classification: F6 Efficiency: 99% down to 3 micron Test code: BS EN 779</p> <p>Size of Box filter G4: 405 x 155 x 50 mm Classification: G4 Efficiency: 90% down to 10 micron Test code: BS EN 779</p> <p>Please refer to drawing DRAWING NO.CRI/F6/250 (COMBINED BOX G4 AND FLANGE F6) for location of mounting holes of F6 flange filter.</p>	2 nos (set)

Note

1. All G4 should be able to withstand repeated washing and cleaning.
2. All the flange filters are to be provided with gaskets.
3. Filter Media area in m³ should be mentioned.
4. Dimension drawings should be submitted alongwith the quotation/tender.
5. See accompanying drawing for mounting hole(slot) dimensions and other details


प्रभासी अधिकारी भांडार
Officer- In- Charge, Stores
के. आर. सी. ए. कासुली
C. R. I., Kasauli

CAHane
24/6

भांडार अधिकारी
द्वितीय अनुसंधान मध्यम,
मैसो-133205


ANNEXURE - 2(a)

(1)




- NOTE-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. F9 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

(2)




- NOTE-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. F9 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

(3)




- NOTE-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. F9 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

(4)




- NOTE-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. F9 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

(5)



- NOTE-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. F6 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

(6)




- NOTE-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. F6 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

संस्थान प्रमुख
 प्रिय अनुसंधान संस्थान,
 को-172205

ANNEXURE-26

(7)


DRAWING NO. CRI/F6/508 (COMBINED BOX G4 AND FLANGE F6)



- NOTE:-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. F6 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

DRAWING NO. CRI/F6/610 (COMBINED BOX G4 AND FLANGE F6)


(8)



- NOTE:-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE POSITION OF THE MOUNTING HOLES.
 3. F6 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

(9)

DRAWING NO. CRI/G4/508




- NOTE:-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. G4 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

DRAWING No. CRI/F6/610

(10)


DRAWING NO. CRI/G4/610



- NOTE:-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE POSITION OF THE MOUNTING HOLES.
 3. F6 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

(11)


DRAWING NO. CRI/G4/508



- NOTE:-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE FOR POSITION OF THE MOUNTING HOLES.
 3. G4 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

DRAWING NO. CRI/G4/610

(12)



- NOTE:-
1. DRAWING IS NOT TO SCALE.
 2. THE DRAWING IS ONLY AS A REFERENCE POSITION OF THE MOUNTING HOLES.
 3. G4 FILTER FLANGE TYPE FILTER FRONT VIEW.
 4. THICKNESS OF THE FLANGE SHOULD BE NOT LESS THAN 3 MM.
 5. ALL DIMENSIONS ARE IN MM.

महेश्वर
प्रिय अनुसंधान मस्थान,
कैलौ-173205